

# ENDEAVOR®



[Rheem.com/Endeavor](https://Rheem.com/Endeavor)

## Space-saving **Comfort**

Save valuable space and relax in dependable comfort with the Rheem® Endeavor® Line of Residential Packaged Gas Electric Units, Heat Pumps and Air Conditioners.



# Outdoor Equipment for Indoor Comfort



## PEACE-OF-MIND PERFORMANCE

Relax, you're covered by some of the best warranties in the industry<sup>1</sup> — up to 10 Year Conditional Parts in single-phase, residential applications<sup>2</sup>.



## REDUCED EMISSIONS

Households generate 72%<sup>3</sup> of greenhouse gas emissions, so switching to a heat pump, can make a big difference for the environment—today. Plus, the packaged heat pumps, air conditioners and gas electric units all feature a MicroChannel refrigerant system with all-aluminum evaporator and condenser coils that fight corrosion and provide superior heat transfer capabilities for a more dependable performance—while using up to 58% less refrigerant than similar models.



## HIGH COMFORT

Two-stage<sup>4</sup> (67% and 100%) or single-stage<sup>5</sup> technology work to continuously meet your ever-changing heating and cooling needs. You'll enjoy steady temperature and advanced humidity control that combine to exceed your optimal comfort expectations.



Helping You Live Both **Comfortably** and **Sustainably**



Among Packaged Gas Electric Units, Heat Pumps and Air Conditioners, **These Are Stars**

Earning ENERGY STAR<sup>®</sup> recognition means products meet strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and several of the Rheem Endeavor Packaged Gas Electric Units, Heat Pumps and Air Conditioners are ENERGY STAR<sup>®</sup> certified, offering annual energy cost savings<sup>6</sup>.



We Thought of Everything... & Then Some

We evaluate every detail of a product from top to bottom, inside and out and every angle in between. That's 360+1. And that's why you can count on these residential packaged gas electric units, heat pumps and air conditioners to bring you and your family years of efficient and dependable indoor comfort.



TESTED. TRUSTED. TOUGH.

From the smallest part to complete comfort systems, we build quality into everything we make so we can be sure it's tough enough to deliver the ultimate performance you can count on day after day, year after year. That reliability is what makes Rheem different—and better.

## Rheem<sup>®</sup> Endeavor<sup>®</sup> Line Residential Packaged Air Conditioners



Keep cool, even when the utility bill arrives, with the Rheem Endeavor Line of Residential Packaged Air Conditioners. Each model is designed to provide dependable comfort and savings.

	Classic Plus <sup>®</sup>		Classic <sup>®</sup>	
	RAC(A/X)ZS	RACAZR	RACBZR	RACBZR
Cooling Efficiencies <sup>7</sup>	15.2 SEER2 / 11.5 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase only)	13.4 SEER2 / 10.6 EER2 (1-phase only)
Refrigerant Type	R-410A	R-410A	R-410A	R-410A
Nominal Sizes	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)
Gross Cooling Capacity	24.2 to 59 kBTU	23.6 to 58.5 kBTU	24 to 60 kBTU	24 to 60 kBTU
Cabinet Type Designator	iR	iR	iR	iR
IRA of 2023 – Eligible for Federal Tax Credit, 2023 & 2024 Tax Years <sup>8</sup>	Yes	No	No	No
Sound Rating (as low as) <sup>9</sup>	71 dB	75 dB	75 dB	75 dB
ENERGY STAR <sup>®</sup> Certified <sup>6</sup>	Yes	No	No	No
Compressor Type	Two-stage Scroll	Single-stage Scroll (4- and 5-ton models feature two-stage)	Single-stage Scroll	Single-stage Scroll
Evaporator Coil Type	MicroChannel	MicroChannel	MicroChannel	MicroChannel
Condenser Coil Type	MicroChannel	MicroChannel	MicroChannel	MicroChannel
Airflow Type	Convertible	Convertible	Dedicated Horizontal	Dedicated Horizontal
Blower Motor Type	Constant Torque	Constant Torque	Constant Torque	Constant Torque
Fan Motor Type	PSC	PSC	PSC	PSC
Heater Kit	Field-installed option	Field-installed option	Field-installed option	Field-installed option
1-Phase Option	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)
3-Phase Option	Yes (not available on 2-ton models)	Yes (not available on 2-ton models)	No	No
Compatible Thermostat	Two-stage 24V	Two-stage 24V (4- and 5-ton) Single-stage 24V (2- to 3.5-ton models)	Single-stage 24V	Single-stage 24V
Limited Warranty <sup>1</sup>	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications)	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications)

## Rheem<sup>®</sup> Endeavor<sup>®</sup> Line Residential Packaged Heat Pumps



Bring home year-round sustainable comfort with the Rheem Endeavor Line of Residential Packaged Heat Pumps. Each model is designed to provide efficient and consistent heating and cooling technology, all while contributing to reduced household emissions.

	Classic Plus <sup>®</sup>		Classic <sup>®</sup>	
	RHPXZS	RHP(A/X)ZR	RHPBZR	RHPBZR
Cooling Efficiencies <sup>7</sup>	15.2 SEER2 / 11.5 EER2 / 7.2 HSPF2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 / 6.7 HSPF2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 / 6.7 HSPF2 (1-phase only)	13.4 SEER2 / 10.6 EER2 / 6.7 HSPF2 (1-phase only)
Refrigerant Type	R-410A	R-410A	R-410A	R-410A
Nominal Sizes	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)
Gross Cooling Capacity	24 to 60 kBTU	23.8 to 59.5 kBTU	24 to 58.5 kBTU	24 to 58.5 kBTU
Cabinet Type Designator	iR	iR	iR	iR
IRA of 2023 – Eligible for Federal Tax Credit, 2023 & 2024 Tax Years <sup>8</sup>	Yes, South Only	No	No	No
IRA of 2023 – Eligible for Electric Home Rebate Program, 2024 Tax Year <sup>8</sup>	Yes	No	No	No
Sustainability Standout <sup>®</sup>	Yes	No	No	No
Sound Rating (as low as) <sup>9</sup>	77 dB	74 dB	77 dB	77 dB
ENERGY STAR <sup>®</sup> Certified <sup>6</sup>	Yes	No	No	No
Compressor Type	Two-stage Scroll	Single-stage Scroll (two-stage on 5-ton model)	Single-stage Scroll (5-ton model features two-stage)	Single-stage Scroll (5-ton model features two-stage)
Evaporator Coil Type	MicroChannel	MicroChannel	Tube-fin	Tube-fin
Condenser Coil Type	MicroChannel	MicroChannel (3.5- to 5-ton) Tube-fin (2- to 3-ton)	Tube-fin	Tube-fin
Airflow Type	Convertible	Convertible	Dedicated Horizontal	Dedicated Horizontal
Blower Motor Type	Constant Torque	Constant Torque	Constant Torque	Constant Torque
Fan Motor Type	PSC (2- to 4-ton) ECM (5-ton)	PSC	PSC	PSC
Heater Kit	Factory- or Field-installed Option	Factory- or Field-installed Option	Factory- or Field-installed Option	Factory- or Field-installed Option
1-Phase Option	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)
3-Phase Option	Yes (not available on 2-ton models)	Yes (5-ton model only)	No	No
Compatible Thermostat	Two-stage 24V	Two-stage 24V (5-ton) Single-stage 24V (2- to 4-ton)	Two-stage 24V (5-ton) Single-stage 24V (2- to 4-ton)	Two-stage 24V (5-ton) Single-stage 24V (2- to 4-ton)
Limited Warranty <sup>1</sup>	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications)	<b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications)

## Rheem<sup>®</sup> Endeavor<sup>®</sup> Line Residential Packaged Gas Electric



Year-round comfort has never been more convenient—or efficient—with the Rheem Endeavor Line of Residential Packaged Gas Electric Systems. Every model is designed with durability to perform season after season while delivering dependable savings.

	Classic Plus <sup>®</sup>		Classic <sup>®</sup>	
	RGE(A/X)ZS	RGEAZR	RGEAZR	RGEAZR
Cooling Efficiencies <sup>7</sup>	15.2 SEER2 / 11.5 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase & 3-phase)	13.4 SEER2 / 10.6 EER2 (1-phase only)	13.4 SEER2 / 10.6 EER2 (1-phase only)
Heating Efficiency	81% AFUE <sup>10</sup>	81% AFUE <sup>10</sup>	81% AFUE <sup>10</sup>	81% AFUE <sup>10</sup>
Refrigerant Type	R-410A	R-410A	R-410A	R-410A
Nominal Sizes	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)	2–5 tons (7.0–17.6 kW)
Gross Cooling Capacity	24.2 to 59 kBTU	23.6 to 58.5 kBTU	24 to 60 kBTU	24 to 60 kBTU
Cabinet Type Designator	iR	iR	iR	iR
Bluetooth Connectivity <sup>11</sup>	Yes	Yes	No	No
IRA of 2023 – Eligible for Federal Tax Credit, 2023 & 2024 Tax Years <sup>8</sup>	Yes	Yes	No	No
Sound Rating (as low as) <sup>9</sup>	71 dB	75 dB	75 dB	75 dB
EcoNet <sup>®</sup> Enabled	Yes	Yes	No	No
ENERGY STAR <sup>®</sup> Certified <sup>6</sup>	Yes	Yes	No	No
Compressor Type	Two-stage Scroll	Two-stage Scroll	Single-stage Scroll (4- and 5-ton models feature two-stage)	Single-stage Scroll (4- and 5-ton models feature two-stage)
Evaporator Coil Type	MicroChannel	MicroChannel	MicroChannel	MicroChannel
Condenser Coil Type	MicroChannel	MicroChannel	MicroChannel	MicroChannel
Airflow Type	Convertible	Convertible	Convertible	Convertible
Blower Motor Type	Constant CFM	Constant CFM	Constant Torque	Constant Torque
Fan Motor Type	PSC	PSC	PSC	PSC
Ultra Low NOx Option	No	No	Yes (all tonnages)	Yes (all tonnages)
Low NOx Option	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)
1-Phase Option	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)	Yes (all tonnages)
3-Phase Option	Yes (not available on 2-ton models)	Yes (not available on 2-ton models)	Yes (not available on 2-ton models)	Yes (not available on 2-ton models)
Stainless Steel Heat Exchanger	Yes (factory-installed option)	Yes (factory-installed option)	Yes (factory-installed option)	Yes (factory-installed option)
Compatible Thermostat	EcoNet Smart Thermostat, Two-stage 24V	EcoNet Smart Thermostat, Two-stage 24V	Two-stage 24V (4- and 5-ton) Single-stage 24V (2- to 3.5-ton)	Two-stage 24V (4- and 5-ton) Single-stage 24V (2- to 3.5-ton)
Heating Input	<b>2-ton Model</b> 60 kBTU <b>3-ton Model</b> 60, 80 and 100 kBTU <b>4- and 5-ton Models</b> , (1st Stage / 2nd Stage): 56 / 80 to 70 / 100 kBTU	<b>2- and 2.5-ton Models</b> 40, 60 and 80 kBTU <b>3-ton Model</b> 60, 80 and 100 kBTU <b>3.5- to 5-ton Models</b> 80 and 100 kBTU	<b>2- and 2.5-ton Models</b> 32 to 65 kBTU <b>3-ton Model</b> 48 to 81 kBTU <b>3.5- to 5-ton Models</b> 65 to 81 kBTU	<b>2- and 2.5-ton Models</b> 32 to 65 kBTU <b>3-ton Model</b> 48 to 81 kBTU <b>3.5- to 5-ton Models</b> 65 to 81 kBTU
Heating Output	<b>2-ton Model</b> 48.6 kBTU <b>3-ton Model</b> 48.6 to 81 kBTU <b>4- and 5-ton Models</b> , (1st Stage / 2nd Stage): 45.3 / 64.8 to 56.7 / 81 kBTU	<b>2- and 2.5-ton Models</b> 32 to 65 kBTU <b>3-ton Model</b> 48 to 81 kBTU <b>3.5- to 5-ton Models</b> 65 to 81 kBTU	<b>2- and 2.5-ton Models</b> 32 to 65 kBTU <b>3-ton Model</b> 48 to 81 kBTU <b>3.5- to 5-ton Models</b> 65 to 81 kBTU	<b>2- and 2.5-ton Models</b> 32 to 65 kBTU <b>3-ton Model</b> 48 to 81 kBTU <b>3.5- to 5-ton Models</b> 65 to 81 kBTU
PlusOne <sup>®</sup> Features & More (PlusOnes indicated in bold)	Rheem Contractor and EcoNet Apps <sup>12</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Rheem Contractor and EcoNet Apps <sup>12</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Rheem Contractor and EcoNet Apps <sup>12</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics	Rheem Contractor and EcoNet Apps <sup>12</sup> , built-in EcoNet and Bluetooth technology allow for easy install and diagnostics
Limited Warranty <sup>1</sup>	<b>Heat Exchanger</b> – 10 years (factory standard), 20 years (stainless steel 1-phase models, commercial application), limited lifetime (1-phase, residential applications) (registration required) <b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Heat Exchanger</b> – 10 years (factory standard), 20 years (stainless steel 1-phase models, commercial application), limited lifetime (1-phase, residential applications) (registration required) <b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Heat Exchanger</b> – 10 years (factory standard), 20 years (stainless steel 1-phase models, commercial application), limited lifetime (1-phase, residential applications) (registration required) <b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)	<b>Heat Exchanger</b> – 10 years (factory standard), 20 years (stainless steel 1-phase models, commercial application), limited lifetime (1-phase, residential applications) (registration required) <b>Conditional Parts</b> – 10 years (1-phase, residential applications) (registration required) <b>Compressor</b> – 10 years (1-phase, residential applications), 5 years (1- and 3-phase, commercial applications) <b>Parts</b> – 1 year (commercial applications)

# Super Advanced. Super Easy.

The Rheem *Classic Plus*® Series RGE(A/X)ZS Packaged Gas Electric Unit is EcoNet- and Bluetooth-enabled for simplified operation, installation and service.



It operates with the easy-to-use EcoNet Smart Thermostat, which optimizes system performance and provides a new level of protection and precision comfort **with features like:**

- Communication with latest sensor technology
- Control of your thermostat from anywhere via the EcoNet App<sup>12</sup>
- Alerts sent directly to your phone or email



Built-in Bluetooth® connectivity<sup>11</sup> makes it faster and easier for your contractor to install and service your new system. This can help lower your costs and help make your home comfortable again—fast.



## Federal Incentives Available (conditions apply)

As part of the Inflation Reduction Act of 2022, homeowners can now take advantage of enhanced tax incentives and a new state-administered consumer rebate program. Certain Rheem Residential Packaged models may be eligible for the Energy Efficient Home Improvement Tax Credit (25C)<sup>8</sup> and Rheem Residential Packaged Heat Pumps may be eligible for the High Efficiency Electric Home Rebate Program.<sup>8</sup>

Visit [Rheem.com/Federal-Incentives](https://www.rheem.com/federal-incentives) to view qualifying equipment and for complete details and conditions.



[Rheem.com](https://www.rheem.com)

### Nearly 100 Years of Innovation

As the only brand bringing innovative air and water solutions to homes and businesses around the world, Rheem continues to deliver advanced comfort, savings and experiences to our customers—just as we've done for nearly 100 years.



**Rheem USA**  
5600 Old Greenwood Road  
Fort Smith, Arkansas 72908



**Rheem Canada Ltd. / Ltée**  
125 Edgeware Road, Unit 1  
Brampton, Ontario L6Y 0P5

*In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.*

<sup>1</sup>Registration is required for the conditional parts warranty (if applicable). For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to [Rheem.com](https://www.rheem.com) for a copy of the product warranty certificate. <sup>2</sup>Refer to the chart for specific warranty terms by product. <sup>3</sup>Residential Building Electrification in CA: Consumer economics, greenhouse gases and grid impacts, April 2019. <sup>4</sup>Applies to the RHPXZS, RAC(A/X)ZS and RGE(A/X)ZS models. <sup>5</sup>Applies to RHP(A/X)ZR, RHPBZR, RACAZR, RACBZR and RGEAZR models. <sup>6</sup>Proper sizing and installation of equipment is critical to achieve optimal performance. Ask your contractor for details or visit [EnergyStar.gov](https://www.energy.gov). <sup>7</sup>SEER2 (Seasonal Energy Efficiency Rating) / EER2 (Energy Efficiency Ratio) / HSPF2 (Heating Seasonal Performance Factor): The higher the SEER2 / EER2 / HSPF2 rating, the more efficient the unit. <sup>8</sup>Energy Efficient Home Improvement Tax Credits (25C) and High Efficiency Electric Home Rebates are dependent on state participation and available funding; Visit [Rheem.com/Federal-Incentives](https://www.rheem.com/federal-incentives) for complete details. <sup>9</sup>Based on Internal R&D Testing, May 2023. Sound levels are also dependent on proper installation and location of product. <sup>10</sup>AFUE (Annual Fuel Utilization Efficiency): The higher the AFUE, the more efficient the unit. <sup>11</sup>Bluetooth functionality applies to the heating section only. <sup>12</sup>WiFi broadband internet connection required. Download the EcoNet® App from the App Store® or Google Play® to set up your EcoNet Smart Thermostat. Receipt of notifications depend on home WiFi setup. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Rheem is under license. Other trademarks and trade names are those of their respective owners.

