## ENDEAVOR



#### Simplified Install & Service with Bluetooth Technology

Built-in Bluetooth® connectivity makes it faster and easier for your contractor to install and service your new system.<sup>10</sup> This can help lower your costs and help make your home comfortable again-fast.

#### **FEATURES AT A GLANCE**

19 SEER2 / 12 EER2 / 8.5 HSPF2

**Nominal Sizes: 2 to 5 Tons** 

22.8 to 53 kBTU

**EcoNet® Enabled: Yes<sup>11</sup>** 

Sound Rating<sup>6</sup>: As low as 50 dB

Compressor Type: Inverter Driven, Variable Speed<sup>3</sup> Twin Rotary

**Condenser Coil Type: 7mm** 

**ENERGY STAR®** 

Certified Cold Climate: Yes<sup>12</sup>

Cooling: 50-125°F Heating: -22-70°F

**Refrigerant Type: R-410A** 

PlusOnes:



PlusOne® Variable Speed Twin Rotary Compressor & Inverter Drive – Variable speed operation with EcoNet® Smart Thermos<u>tat or</u> legacy and other thermostats<sup>3,1</sup>



PlusOne Diagnostics<sup>10</sup> –
Bluetooth technology aids in quick & easy service

#### **Additional Standard Features:**

- Filter Drier (Field-installed)
  Front Seating Service Valves
  Internal Pressure Relief Valve
  Powder Coated Paint
- Rust-resistant Screws
- Optimized Venturi Airfloy
- External Gauge PortsEasy Accessibility

#### **Limited Warranty<sup>2</sup>:**

Conditional Parts – 10 Years

### **Nearly 100 Years of Innovation**



Ruud-Canada.ca

As the only brand bringing innovative air and water solutions to homes and businesses around the world, Ruud continues to deliver advanced comfort, savings and experiences to our customers—just as we've done for nearly 100 years.



Ruud USA 5600 Old Greenwood Road Fort Smith, Arkansas 72908



Ruud Canada Ltd. / Ltée 125 Edgeware Road, Unit 1 Brampton, Ontario L6Y 0P5

In keeping with its policy of continuous progress and product improvement, Ruud reserves the right to make changes without notice.

Coil only – with TXV, with minimum alterations. <sup>2</sup> For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to Ruud.com for a copy of the product warranty applies to pump only or system installation; Does not require the head pump to be part of a properly matched system as specified by the Manufacturer and the Air Conditioning Heating & Refrigeration Institute (AHRI). <sup>3</sup> When installed with the EcoNet Smart Thermostat or with legacy and there meastats when the utility 1 and 2 jumpers are installed. Features two-stage (70% and 100% capacity) operation when installed with legacy and other thermostats when the utility 1 and 2 jumpers are not installed; The 2-ton model features a single rotary compressor. <sup>7</sup>Resi Building Electrification in CA: Consumer accommics, greenhouse gases and grid impacts, April 2019; <sup>8</sup>Remostage and grid impacts, and grid impacts, but use phase emissions oaccount for the majority of the products' impact, Athits time, these figures have not been independently verified by a third party. <sup>8</sup>Based on Internal R&D Testing, 2023. Sound levels are also dependent on proper installation and location of outdoor product. <sup>8</sup>When installed as part of a complete AHRI-matched Ruud EcoNet-enabled system; Does not apply to coil-only matched systems. <sup>8</sup>Volid for qualifying AHRI-matched Ruud systems; <sup>8</sup>Proper sizing and installation of equipment is critical to achieve optimal performance. Ask your contractor for details or visif EnergyStra. gov. <sup>8</sup>Wife information of products and installation of equipment is critical to achieve optimal performance. Ask your contractor for details or visif EnergyStra. gov. <sup>8</sup>Wife installed as part of a complete AHRI-matched Ruud despendently when installed as part of a complete AHRI-matched Ruud expendently system

components feature Bluetooth technology. 11When installed as part of a complete AHRI-matched Ruud EcoNet-enabled system. 1270% heating capacity at 5°F on all tonnages when part of a qualifyin AHRI-matched Ruud EcoNet enabled system.








The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Rheem® is under license. Other trademarks and trade names are those of their respective owners. Printed in the USA | 02/24 | QG | Form No. M22-3126 | Rev. 0

### RELY ON RUUD.

Side-Discharge Universal Heat Pump RD17AZ

QUIET PLACES. ENDLESS POSSIBILITIES.

TIGHT SPACES.



### ENDEAVOR

### Ruud<sup>®</sup> Endeavor<sup>®</sup> Line **Achiever Plus® Series**

Compatible with nearly any existing HVAC system—or as a universal replacement<sup>1</sup>—the EcoNet® enabled Ruud Endeavor Line Achiever Plus Series RD 17AZ Universal Heat Pump excels in all install situations. And as part of our Sound & Space Constraint Solution, it features a compact footprint, making it the perfect solution when space is at a premium.

Ruud-Canada.ca/Endeavor













## Comfort & Efficiency

### Made Universal

A Smart Way to Live Both

**Comfortably & Sustainably** 

but the RD 17AZ has earned our Sustainability

Many Ruud products have sustainability features,

Standout® seal<sup>7</sup>, indicating it's among the best of

the best. We created the seal to help you more

easily find the products that save energy,

save money and save the planet.

### Innovation You Can Count On

Patented industry-first features and 360+1 design make the Ruud Endeavor RD 17AZ a smart choice.



#### **Peace-Of-Mind Performance**

Relax, you're covered by one of the best warranties in the industry<sup>2</sup>—10 Year Conditional Parts when installed as a heat pump only or as part of a system.



#### **Reduced Emissions**

Households generate 72% of greenhouse gas emissions, so switching to a heat pump can make a big difference for the environment—today.



#### **Energy Savings**

Just like a vehicle's MPG rating, the higher the SEER2, EER2 and HSPF2 rating (Seasonal Energy Efficiency Ratio / Energy Efficiency Ratio / Heating Seasonal Performance Factor), the higher the efficiency of your heat pump—resulting in more energy savings. Keep in mind, other factors such as system matching, sizing, ductwork and installation also impact the overall efficiency. By working with a properly trained contractor, you can be confident that you are choosing the best heating and cooling system for your home's comfort—and your finances.



#### **Ultimate Comfort**

nverter driven, variable speed, twin rotary compressor technology features fully variable cooling and heating operation between 45% and 100% of capacity<sup>3</sup> to continuously meet your ever-changing needs. You'll enjoy exact temperature and advanced humidity control that combine to exceed your optimal comfort expectations.



#### **Space-Saver Solution**

Part of our Sound & Space Constraint Solution, the Achiever Plus Side-Discharge Universal Heat Pump is the ideal product for when installation locations are cramped. It features a small footprint with size options as low as 40.2" wide, 16.4" deep and 36.6" tall. This unit was designed to deliver whole-home comfort quietly and efficiently—further proof that good (and quiet) things come in small packages.



### **Rugged Curb Appeal**

Steel panels provide excellent support and protection to internal components, while the overall modern cabinet aesthetics including the powder coat paint system and rust-resistant screws allow your unit to put its best face forward for years to come.



#### **Less Environmental Impact**

The 7mm condenser coil reduces refrigerant requirements up to 15%. This lowers the amount of greenhouse gases emitted while contributing to our sustainability goal of a 50% reduction in our greenhouse gas footprint by 2025.5 A win for all of us.



#### **Universal Install Compatibility**

The RD17AZ works with nearly any HVAC system option-including Ruud EcoNet enabled and noncommunicating systems, or as a universal replacement with minimal alterations required.<sup>1</sup> Whether your choice is driven by space or sound constraints, electrification initiatives or dual fuel opportunities—this is the comfort solution for you.



#### **Quiet Operation**

Efficient home comfort

shouldn't be noisy. That's why our heat pumps are designed with acoustics **\( \frac{1}{2} \)** in mind. Sounddampening features such as refrigerant tubing design, fan blade approach and innovative compressor and drive technologies ensure that as efficiency goes up, sound levels stay low—as low as 50 dB.6


#### SOUND RATING

	30	_	Soft Whisper
	40	_	Light Rain
-	50	_	Refrigerator Hum
	60	_	Normal Conversation
	70	_	Washing Machine
	80	_	Alarm Clock





The Ruud Endeavor RD 17AZ—when installed as part of a complete AHRImatched, Ruud EcoNet-enabled system—operates with the easy-to-use EcoNet Smart Thermostat, which optimizes system performance and provides a new level of protection and precision comfort with features like:



 Control of your thermostat from anywhere via the EcoNet App<sup>9</sup>













 Alerts sent directly to your phone or email



## ENDEAVOR

Among Heat Pumps,

Earning ENERGY STAR® recognition means products meet strict energy efficiency guidelines set by Natural Resources

Canada. ENERGY STAR certified heating and cooling

equipment can enhance the comfort of your home while saving energy—which saves money on utility bills and

protects our climate by reducing harmful carbon pollution

This One's A Star<sup>8</sup>

and other greenhouse gases.

AVAILABLE MODELS						
Model No.	Description					
RD17AZ24AJ3NA	2 ton					
RD17AZ36AJ3NA	3 ton					
RD17AZ48AJ3NA	4 ton					
RD17AZ60AJ3NA	5 ton					





EcoNet Mobile App

**ENERGY STAF** 



EcoNet Smart Thermostat





## General Data



lo learn more visit

Ruud-Canada.ca/Endeavoi



	GENE	RAL DATA		
Model No.	RD17AZ24AJ3NA	RD17AZ36AJ3NA	RD17AZ48AJ3NA	RD17AZ60AJ3NA
Nominal Tonnage	2	3	4	5
Valve Connections				
Liquid Line O.D. – in.	3/8	3/8	3/8	3/8
Suction Line O.D. – in.	3/4	3/4	7/8	7/8
Refrigerant (R410A) Furnished oz.	81	116	222	236
Compressor Type	7mm	7mm	7mm	7mm
Outdoor Coil				
Net Face Area – Outer Coil – sq. ft.	11.0	15.1	17.2	17.2
Net Face Area – Inner Coil – sq. ft.	N/A	15.1	17.2	17.2
Tube Diameter – in.	0.276	0.276	0.276	0.276
Number of Rows	1	2	3	3
Fins Per Inch	18	18	16	16
Outdoor Fan				
Diameter – in.	26	28	24	24
Number of Blades	3	3	3	3
Motor HP	1/2	1/2	1/3	1/3
Number of Fans	1	1	2	2
CFM	3,175	3,575	5,150	5,600
RPM	550	570	650	700
Watts	115	215	315	365
Shipping Weight – lbs.	205	271	354	356
Operating Weight - lbs.	146	200	278	280

# Earning ENERGY STAR® Cold Climate Certification



Every tonnage of the RD17AZ has earned ENERGY STAR® Cold Climate certification, when installed as part of an AHRI-matched EcoNetenabled system. To earn the designation, heat pumps must meet or exceed a series of criteria designated by the Department of Energy for cold climate operation.






## Unit Dimensions &

## Available Accessories





**UNIT DIMENSIONS** 



**2 ton**RD 17AZ24AJ3NA



**3 ton** RD17AZ36AJ3NA



4 ton RD 17AZ48AJ3NA



5 ton RD 17AZ60AJ3NA

ACCESSORIES								
Model No.		RD17AZ24AJ3NA	RD17AZ36AJ3NA	RD17AZ48AJ3NA	RD17AZ60AJ3NA			
Compressor Crankcase Heater		44-103663-15	44-103663-15	44-103663-15	44-103663-15			
Basepan Heater		44-109957-01	44-109958-01	44-109957-01	44-109957-01			
Low Ambient Control		Included	Included	Included	Included			
Compressor Sound Cover		Included	Included	Included	Included			
Low Pressure Control		Included	Included	Included	Included			
High Pressure Control		Included	Included	Included	Included			
Liquid Line Solenoid	Valve	200RD2T3TVLC	200RD2T3TVLC	200RD2T3TVLC	200RD2T3TVLC			
(24 VAC, 50/60 Hz)	Coil	61-AMG24V	61-AMG24V	61-AMG24V	61-AMG24V			
Liquid Line Solenoid	Valve	200RD2T3TVLC	200RD2T3TVLC	200RD2T3TVLC	200RD2T3TVLC			
(120/240 VAC, 50/60 Hz)	Coil	61-AMG120/240V	61-AMG120/240V	61-AMG120/240V	61-AMG120/240V			

### We Thought of Everything...

### & Then Some



We evaluate every detail of a product from top to bottom, inside and out and every angle in between. That's 360+1. And that's why you can count on this heat pump to bring you and your family years of efficient and dependable comfort.



From the smallest part to complete comfort systems, we build quality into everything we make to be sure it's tough enough to deliver the ultimate performance you count on day after day, year after year. That reliability is what makes Ruud different—and better.



To learn more visit
Ruud-Canada.ca/Endeavor