


Space-saving made
COOL.



Residential Packaged
Air Conditioner
RAC(A/X)YC



ENDEAVOR[®]

Rheem[®] Endeavor[®] Line Classic Plus[®] Series

The Rheem Endeavor Line Classic Plus Series RAC(A/X)YC Residential Packaged Air Conditioner delivers space-saving cool comfort. It's designed for lasting energy-efficient comfort that saves you money while delivering peace-of-mind.

Rheem.com/Endeavor

RACXYC
model shown



engineered for **life**TM

HEATING COOLING WATER HEATING



Space-saving

Innovation you can count on

Patented industry-first features and 360+1 design make the Friedrich Endeavor RAC(A/X)YC a smart choice.



Peace-of-mind performance

Relax, you're covered by one of the best warranties in the industry¹—10 Year Conditional Parts in residential applications.



High comfort

Two-stage operation (67% and 100%) works to meet your ever-changing cooling needs.



Durable curb appeal

The steel cabinet with a louvered coil guard provides excellent internal protection while the overall modern cabinet aesthetics, including the powder coat paint system, allow your unit to put its best face forward for years to come. The sloped drain pan ensures all water is removed from the unit, eliminating any bacterial growth and enhancing indoor air quality.



To learn more visit
Rheem.com/Endeavor



We thought
of everything...
& then some

We evaluate every detail of a product from top to bottom, inside and out and every angle in between. That's 360+1. And that's why you can count on this residential packaged air conditioner to bring you and your family years of efficient and dependable comfort.



Tested.
Trusted.
Tough.

From the smallest part to complete comfort systems, we build quality into everything we make so we can be sure it's tough enough to deliver the ultimate performance you can count on day after day, year after year. That reliability is what makes Rheem different—and better.

comfort from one unit



RACAYC model shown

ENDEAVOR®



RACXYC model



RACAYC model

Features at a glance

Cooling efficiencies:

15.2 SEER2 / 11.5 EER2

Refrigerant type:

R-454B

Nominal sizes:

2 to 5 Tons

Cooling capacities:

24.2 to 59 kBTU

EcoNet® enabled:

No

Sound rating²:

As low as 71 dBA

Compressor type:

Two-Stage Scroll

Evaporator coil type:

MicroChannel

Condenser coil type:

MicroChannel

Airflow type:

Convertible

Blower motor type:

Constant Torque

Fan motor type:

PSC

1-Phase option:

Yes

3-Phase option:

Yes

Compatible thermostat:

Single-Stage 24V

PlusOnes:



PlusOne® Refrigerant Detection System™³ –

Integrated, patented design providing system protection and homeowner peace-of-mind with low GWP refrigerant monitoring

Limited warranty¹:

Conditional parts (residential applications) – 10 Years (registration required)

Compressor (residential applications) – 10 Years

Parts (commercial applications) – 1 Year

Compressor (commercial applications) – 5 Years



Rheem.com

Innovating since 1925

As the only brand bringing innovative air and water solutions to homes and businesses around the world, Rheem continues to deliver advanced comfort, savings and experiences to our customers—just as we've done for over a century.



Rheem USA

5600 Old Greenwood Road
Fort Smith, Arkansas 72908



Rheem Canada Ltd. / Ltée
125 Edgeware Road, Unit 1
Brampton, Ontario L6Y 0P5

In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.

¹For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to Rheem.com for a copy of the product warranty certificate. ²Based on internal R&D Testing, 2025. ³Factory installed on 3.5-, 4- and 5-ton models only; not required on other tonnages due to lower amount of refrigerant charge; Sensor kit is available for field installed if required.



AHR CERTIFIED
www.ahrcertified.org

© 2026 Rheem Manufacturing Company. Rheem trademarks owned by Rheem Manufacturing Company.

Printed in the USA | 01/26 | QG | Form No. M11-2529 | Rev. 2