



The new degree of comfort.™

SUBMITTAL COVER SHEET

PROJECT NAME _____

LOCATION _____

ARCHITECT _____

ENGINEER _____

CONTRACTOR _____

SUBMITTED BY _____ DATE _____

UNIT SUMMARY

Quantity						
Unit Designation						
Model No.						
Total Cooling						
Sensible Cooling						
Air Ent. Evaporator						
Air Lvg. Evaporator						
Heating Input						
Heating Output						
CFM/ESP						
EER/SEER						
Electrical						
Minimum Ampacity						
Min.-Max. Breaker						
Net Unit Weight						
Accessory						
Catalog Form Number						

ACCESSORIES:

NOTES:



INTEGRATED HOME COMFORT

Endeavor™ Line *Classic Plus*® Series iM Heat Pumps



RP16AZ

Cooling Efficiency: 17.0 SEER2/10.4 EER2

Heating Efficiency: 8.1 HSPF2


Nominal Sizes: 2 to 5 Ton [7.0 TO 17.6 kW]

Cooling Capacities 22.8 to 55.0 kBTU [6.7 to 16.1 kW]



Unit Dimensions

MODEL NO.	OPERATING						SHIPPING					
	H (Height)		L (Length)		W (Width)		H (Height)		L (Length)		W (Width)	
	INCHES	mm	INCHES	mm	INCHES	mm	INCHES	mm	INCHES	mm	INCHES	mm
RP16AZ24AJ3CA	45.17	1147	36.13	918	36.13	918	48.18	1224	39.37	1000	39.64	1007
RP16AZ36AJ3CA	51.17	1300	36.13	918	36.13	918	53.56	1360	39.37	1000	39.64	1007
RP16AZ48AJ3CA	51.17	1300	36.13	918	36.13	918	53.56	1360	39.37	1000	39.64	1007
RP16AZ60AJ3CA	51.17	1300	36.13	918	36.13	918	53.56	1360	39.37	1000	39.64	1007



[] Designates Metric Conversions