



RussellByRheem.com/Vantix

Simple, dependable comfort

Keep effortlessly comfortable all year long with the Russell® by Rheem Vantix™ Line of Air Handlers. Offering high efficiency and quiet operation, Russell by Rheem Vantix Air Handlers ensure dependable comfort and savings for every season.



Performance & Quality You Can Count On



Relax, you're covered by some of the best warranties in the industry¹—up to 10 Year Limited Parts².



Sound levels range from quietest to quiet with insulated cabinets and truly variable speed airflow technology³—giving you one of the quieter air handler lines available⁴.



Three-stage⁵ (high, medium, low) or two-stage (high, low) heating operation⁶, along with variable speed motor technology³, ensures a steady stream of just-right heated airflow to maintain your comfort level preference while providing superior humidity control.



Simplified Install & Service with Bluetooth Technology

Built-in Bluetooth connectivity⁷ makes it faster and easier for your contractor to install and service your new system. This can help lower your costs and help make your home comfortable again—fast.





Russell® by Rheem Vantix[™] Line

Air Handlers



	SH3VZ	SH2VZ	SH2CZ	
Motor	Constant CFM	Constant CFM	Constant Torque	
Airflow Stages	Three-Stage	Two-Stage	Two-Stage	
Expansion Device	Thermal Expansion Valve (TXV)	Thermal Expansion Valve (TXV)	Thermal Expansion Valve (TXV)	
Efficiencies	15 - 17 SEER2	13.4 - 14.3 SEER2	13.4 - 14.3 SEER2	
Sound Ranking⁴	Quietest	Quieter	Quiet	
Bluetooth Connectivity ⁷	Yes	Yes	No	
Feature Highlights	Russell by Rheem Contractor App and built-in Bluetooth technology allow for easy install and diagnostics	Russell by Rheem Contractor App and built-in Bluetooth technology allow for easy install and diagnostics		
Configuration	4-Way Convertible	4-Way Convertible	4-Way Convertible	
Height	42.5 - 57 in. (varying sizes)	42.5 - 57 in. (varying sizes)	42.5 - 57 in. (varying sizes)	
Compatible Thermostat	Two-Stage 24V (3-Stage Operation Only)	Two-Stage 24V	Two-Stage 24V — Single-Stage 24V	
Limited Warranty ¹	Conditional Parts – 10 Years (registration required)	Conditional Parts – 10 Years Conditional Parts – 10 Years (registration required)		

Continued	SH1PZ	RF2TZ	RF1PZ	SB2CZ
Motor	PSC	Constant Torque	PSC	Constant Torque
Airflow Stages	Single-Stage	Two-Stage	Single-Stage	Two-Stage
Expansion Device	Thermal Expansion Valve (TXV)			
Efficiencies	13.4 - 14.3 SEER2			
Sound Ranking ⁴	Quiet	Quiet	Quiet	Quiet
Bluetooth Connectivity ⁷	No	No	No	No
Feature Highlights				
Configuration	4-Way Convertible	Front / Bottom	Front / Bottom	4-Way Convertible
Height	42.5 - 57 in. (varying sizes)	36 in. (all sizes)	36 in. (all sizes)	35 in. (all sizes)
Compatible Thermostat	Two-Stage 24V — Single-Stage 24V	Two-Stage 24V — Single-Stage 24V	Two-Stage 24V — Single-Stage 24V	Two-Stage 24V — Single-Stage 24V
Limited Warranty ¹	Conditional Parts – 10 Years (registration required)			





A History of Innovation



RussellByRheem.com

We are proudly backed by nearly 100 years in the HVAC industry. We continue to give homeowners and business owners the innovative products that meet their needs and budget to keep people comfortable day after day—just as we've done for nearly a century.



Russell by Rheem USA 5600 Old Greenwood Road Fort Smith, Arkansas 72908

Rheem Sales Company, Inc. manufactures the Russell by Rheem brand of residential heating & cooling products. In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.

¹Registration is required for the conditional parts and unit replacement warranty (if applicable). For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to RussellByRheem.com for a copy of the product warranty certificate. ²Refer to the chart for specific warranty terms by product. ³Applies to SH3VZ and SH2VZ models. ⁶Based on manufacturer's product offering, and the product's heating stages, motor type and cabinet insulation. Sound levels are also dependent on unit location and installation. ⁵Applies to SH3VZ models. ⁶Applies to SH2VZ, SH2CZ, RF2TZ and SB2CZ models. ⁷Applies to SH3VZ and SH2VZ models.

