

COME HOME TO PRACTICAL PERFORMANCE

Air | Gas Furnaces
S801V



VANTIX™

Russell® by Rheem Vantix™ Line

The Russell by Rheem Vantix Line S801V Gas Furnace delivers reliable comfort and exceptional value. It saves you money with energy efficient performance while putting your mind at ease with excellent dependability.

RussellByRheem.com/Vantix



Russell[®]
By Rheem



High Efficiency

Innovation You Can Count On

Patented industry-first features and advanced design make the Russell® by Rheem Vantix™ S801V a smart choice..



Peace-Of-Mind Performance

Relax, you're covered by one of the best warranties in the industry¹—10 Year Conditional Parts + a 20 Year Heat Exchanger warranty.



Quieter Operation

Cozy and quiet vibes are guaranteed with our insulated, solid bottom cabinet and truly variable speed airflow technology—giving you one of the quieter furnaces available².



Precise Comfort

Two-stage heating operation and variable speed motor technology ensure a steady stream of just-right heated airflow to maintain your comfort level preference while providing superior humidity control.

VANTIX™



To learn more visit
RussellByRheem.com/Vantix

and Exceptional Value



The Russell by Rheem Vantix S801V operates with the easy-to-use EcoNet Smart Thermostat, which optimizes system performance and provides a new level of protection and precision comfort **with features like:**

- Communication with latest sensor technology
- Control of your thermostat from anywhere via the EcoNet App³
- Alerts sent directly to your phone or email



EcoNet Mobile App



EcoNet Smart Thermostat



VANTIX™



FEATURES AT A GLANCE

Input Rates:

Upflow / Horizontal: 50–150 kBTU

Downflow: 50–125 kBTU

Configurations: Upflow /Horizontal
Downflow

Heating Stages: Single-Stage

Motor Type: Constant CFM

Sound Ranking²: Quiet

FEATURE HIGHLIGHTS

Diagnostics: Bluetooth technology aids quick & easy service

Ignition System: Direct Spark Ignition (DSI)
for reliability & longevity

Limited Warranty¹:

Conditional Parts – 10 years
(registration required)

Heat Exchanger – 20 Years

Simplified Install & Service *with* Bluetooth Technology

Built-in Bluetooth® connectivity makes it faster and easier for your contractor to install and service your new furnace. This can help lower your costs and help make your home comfortable again—fast.

A History of Innovation

We are proudly backed by nearly 100 years in the HVAC industry. We continue to give homeowners and business owners the innovative products that meet their needs and budget to keep people comfortable day after day—just as we've done for nearly a century.



RussellByRheem.com



Russell by Rheem USA
5600 Old Greenwood Road
Fort Smith, Arkansas 72908

Rheem Sales Company, Inc. manufactures the Russell by Rheem brand of residential heating & cooling products. In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.

¹Registration is required for the conditional parts warranty. For complete details of the limited and conditional warranties, including applicable terms and conditions, contact your local Contractor or go to RussellByRheem.com for a copy of the product warranty certificate. ²Based on manufacturer's furnace offering, and the product's heating stages, motor type and cabinet insulation. Sound levels are also dependent on furnace location and installation. ³WiFi broadband internet connection required; Download the EcoNet® App from the App Store® or Google Play® to set up your EcoNet Smart Thermostat; Receipt of notifications depend on home WiFi set up; Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Rheem is under license. Other trademarks and trade names are those of their respective owners.



© 2024 Rheem Manufacturing Company. Russell by Rheem trademarks owned by Rheem Manufacturing Company.

Printed in the USA | 05/24 | QG | Form No. MRR-6098 Rev. 2